Nuclear Instruments and Methods in Physics Research B70 (1992) xiii–xviii
North-Holland

NIM B
Beam Interactions with Materials & Atoms

Contents

Editorial vii
Committees, Sponsors viii
Conference photograph x

Section I. Off-line mass separation

Modern tendencies in the enrichment of stable isotopes and their applications in the USSR and elsewhere
Tikhomirov, A. 1
Electromagnetic separation of actinide isotopes
Abramychev, S.M., N.V. Balashov, S.P. Vesnovskii, V.N. Vjachin, V.G. Lapin, E.A. Nikitin and V.N. Polynov 5
Highly enriched isotopes of uranium and transuranium elements for scientific investigation
Vesnovskii, S.P. and V.N. Polynov 9
A bench for tungsten crucible crystallization and source outgassing
Boulin, Y. and A. Juery 12
Separation method and yields of small quantities of rare earth elements
Boulin, Y. and A. Juery 14
Electromagnetic isotope separation at the China Institute of Atomic Energy
Li Gongpan, Lin Zhizhou, Xiang Xuyang and Deng Jingting 17
An efficient mass separation by using traveling waves with ion cyclotron frequencies
Hatakeyama, R., N. Sato and N. Sato 21
Plasma centrifuge for separation of metal elements and isotopes
Ikehata, T., K. Oohashi, N.Y. Sato, T. Tanabe and H. Mase 26
Ion mass separation by use of spatial cyclotron resonance
Mieno, T., E. Matsumoto, K. Yamagiwa and N. Sato 33
Isotope separation in a magnetized sheet plasma by ion cyclotron resonance
Nanri, K., K. Arai, A. Matsubara, K. Sunako, T. Tanikawa, E. Yabe, K. Kawamura, K. Takayama and K. Yamauchi 37

Section II. On-line mass separation

The new CERN-ISOLDE on-line mass-separator facility at the PS-Booster
Kugler, E., D. Fiander, B. Jonson, H. Haas, A. Przewloka, H.L. Ravn, D.J. Simon, K. Zimmer and the ISOLDE Collaboration 41
Status report of the Leuven isotope separator on-line (LISOL)
Huyse, M., P. Decrock, P. Dendooven, J. Gentens, G. Vancraeynest, P. Vandenberghe and P. Van Duppen 50
Ion source development for the on-line isotope separator at GSI
Kirchner, R., K. Burkard, W. Hüller and O. Klepper 56
Experimental complex to study nuclei far from the beta-stability line – ISOL-facility YASNAPP-2
Kalinnikov, V.G., K.Ya. Gromov, M. Janicki, Yu.V. Yushkevich, A.W. Potempa, V.G. Egorov, V.A. Bystrov, N.Yu. Kotovsky and S.V. Evtisov 62

0168-583X/92/$05.00 © 1992 – Elsevier Science Publishers B.V. All rights reserved

The production of neutron-rich heavy nuclei of astrophysical interest at the IRIS facility
Bolshakov, V.A., A.G. Dernyatin, K.A. Mezilev, Yu.N. Novikov, A.G. Polyakov, A.V. Popov, Yu.Ya. Sergeev and V.I. Tikhonov 69

Upgrade of the TRIUMF on-line isotope separator, TISOL
D'Auria, J.M., L. Buchmann, M. Dombsky, P. McNeely, G. Roy, H. Sprenger and J. Vincent .. 75

The Princeton separator, past and future
Naumann, R.A., F.W. Loeser and R.B. Vogelaar 80

ISOLAN Facility and its research program
Huang Yecheng, Wang Tongqing, Tan Jinfen, Guo Bin and Fan Hongmei 89

Status report of the JAERI on-line isotope separator
Ichikawa, S.-I., T. Sekine, M. Oshima, H. Iimura and Y. Nakahara 93

Low-energy unstable nuclear beam channel "SLOW" at the RIKEN ring cyclotron
Matsuzaki, T., R. Kadono, K. Ishida, A. Matsushita and K. Nagamine 101

Section III. Ion sources

Status and future development of ion sources for on-line mass separators
Ravn, H.L. 107

Present status of singly charged ion ECR sources at the SARA on-line separator
Gimond, G., A. Gizon, D. Barnéoud, J. Blachot, J. Genevey, R. Guglielmini, J. Inchaouh, G. Margotton and J.L. Vieux Rochaz 118

Targets and ion sources at the TISOL facility
Dombsky, M., L. Buchmann, J.M. D'Auria, P. McNeely, G. Roy, H. Sprenger and J. Vincent .. 125

Resonance ionization in a gas cell: a feasibility study for a laser ion source
Qamhieh, Z.N., E. Vandeweert, R.E. Silverans, P. van Duppen, M. Huyse and L. Vermeeren . 131

Efficiency and delay of the integrated target–ion source of OSIRIS
Fogelberg, B., M. Hellström, L. Jacobsson, D. Jerrestam, L. Spanier and G. Rudstam 137

Some studies of molecular ions obtained from a U + C target at $> 2100°C$
Hellström, M., B. Fogelberg, L. Jacobsson, L. Spanier and G. Rudstam 142

Fluorination method for the surface ionization of Sr and Ba with a helium-jet type ISOL
Kawase, Y., K. Okano, M. Shibata and A. Taniguchi 146

Study of a thick target surface ionizer at INS
Ikeda, N., Y. Shirakabe, J. Tanaka, T. Nomura, S. Ohkawa, S. Takaku, M. Oyaizu, H. Kawakami, I. Katayama and T. Shinozuka 150

Measurement of hold-up times in a thermal ion source for metallic and monoxide ions of lanthanum and cerium
Ichikawa, S., T. Sekine, H. Iimura and M. Oshima 156

Ion source with combined cathode and transfer line heating
Sundell, S., H. Ravn and the ISOLDE Collaboration 160

New production systems at ISOLDE
Hagebø, E., P. Hoff, O.C. Jonsson, E. Kugler, J.P. Omtvedt, H.L. Ravn and K. Steffensen 165

Beam heating and cooling of thick targets for on-line production of exotic nuclei
Talbert, W.L., H.-H. Hsu and F.C. Prenger 175

Extraction efficiency of ^{13}N ($T_{1/2} = 9.96$ min) atoms from a graphite target: comparison between off- and on-line obtained results
Decrock, P., M. Huyse, G. Reusen, P. Van Duppen, D. Darquennes, Th. Delbar and P. Lipnik 182

On the release and ionization efficiency of catcher-ion-source systems in isotope separation on-line
Kirchner, R. 186

High-current sputtering ion source for refractory metals
Kanter, M. 200

High efficiency metal ion source
Tonegawa, A., K. Yamauchi, J. Ono, T. Chida and K. Takayama 205
Oxygen ion source with plasma cathode
Yabe, E., K. Takahashi, K. Takagi and K. Takayama 208

Section IV. Ion guides and He jets

The squeezer ion guide
Iivonen, A., J. Kuhalainen, R. Saintola, K. Valli, T. Inamura, M. Koizumi, K. Morita and A. Yoshida 213
RIKEN isotope separator on-line GARIS/IGISOL
Morita, K., A. Yoshida, T.T. Inamura, M. Koizumi, T. Nomura, M. Fujioka, T. Shinozuka, H. Miyatake, K. Sueki, H. Kudo, Y. Nagai, T. Toriyama, K. Yoshimura and Y. Hatsukawa 220
Velocity distribution of RIKEN IGISOL ion beams
Inamura, T.T., M. Koizumi, K. Morita, A. Yoshida, M. Takami, T. Ishizuka, I. Nakamura, M. Nakaoka, T. Murayama, I. Sugai, M. Azuma, H. Katsuragawa, K. Shimomura, S. Matsuki, A. Iivonen and K. Valli 226
Status report of the SARA IGISOL used in the study of the $^{238}U(\alpha\ 40\ MeV, f)$ reaction
Astier, A., R. Béraud, A. Bouldjedri, R. Duffait, A. Emsallem, M. Meyer, S. Morier, P. Pangaud, N. Redon, D. Barnéoud, J. Blachot, J. Genevey, A. Gizon, R. Guglielmini, J. Inchaouh, G. Margotton, J.L. Vieux-Rochaz, J. Ärje, J. Äystö, P. Jauho, A. Jokinen, H. Penttilä, K. Eskola, M.E. Leino and J.B. Marquette 233
Development of a laser-enhanced ion-guide ion source
Oshima, M., T. Sekine, S. Ichikawa, Y. Hatsukawa, I. Nishinaka, T. Morikawa and H. Iimura . 241
The Chalk River high-temperature helium-jet ion source
Koslowsky, V.T., M.J. Watson, E. Hagberg, J.C. Hardy, W.L. Perry, M.G. Steer, H. Schmeing, P.P. Unger and K.S. Sharma 245
The helium-jet coupled ISOL facility at VECC, Calcutta
Chakrabarti, A., A. Bandyopadhyay, A. Bandyopadhyay, S.K. Basu, N.C. Bhattacharya, S. Chattopadhyay, M.D. Mazumdar, T. Mukhopadhyay, A. Poley and A.K. Mazumdar 254
Characteristics of a nitrogen-jet system in KUR-ISOL
Sharshar, T., K. Okano and Y. Kawase 259

Section V. Recoil and fragment mass separators

The separation techniques for secondary beams
Münzenberg, G. 265
LISE 3: a magnetic spectrometer–Wien filter combination for secondary radioactive beam production
Anne, R. and A.C. Mueller 276
The GSI projectile fragment separator (FRS): a versatile magnetic system for relativistic heavy ions
Geissel, H., P. Armbruster, K.H. Behr, A. Brünle, K. Burkard, M. Chen, H. Folger, B. Franczak, H. Keller, O. Klepper, B. Langenbeck, F. Nickel, E. Pfeng, M. Pfützner, E Roeckl, K. Rykaczewski, I. Schall, D. Schardt, C. Scheidenberger, K.-H. Schmidt, A. Schröter, T. Schwab, K. Sümmerer, M. Weber, G. Münzenberg, T. Brohm, H.-G. Clerc, M. Fauerbach, J.-J. Gaimard, A. Grewe, E. Hanelt, B. Knödler, M. Steiner, B. Voss, J. Weckenmann, C. Ziegler, A. Magel, H. Wollnik, J.P. Dufour, Y. Fujita, D.J. Vieira and B. Sherrill 286
Initial operating experience with the A1200 fragment separator
Sherrill, B.M., D.J. Morrissey, J.A. Nolen Jr., N. Orr and J.A. Winger 298
A fragment separator at LBL for the beta-NMR experiment
Matsuta, K., A. Ozawa, Y. Nojiri, T. Minamisono, M. Fukuda, A. Kitagawa, T. Ohtsubo, S. Momota, S. Fukuda, Y. Matsuo, H. Takechi, I. Minami, K. Sugimoto, I. Tanihata, K. Omata, S. Shimoura, J.R. Alonso, G.F. Krebs and T.J.M. Symons 304

The RIKEN radioactive beam facility
Kubo, T., M. Ishihara, N. Inabe, H. Kumagai, I. Tanihata, K. Yoshida, T. Nakamura, H. Okuno, S. Shimoura and K. Asahi 309

Design study of the secondary-beam line at RCNP
Shimoda, T., H. Miyatake and S. Morinobu 320

Performance of and experiments with the recoil separator CARP at RCNP
Morinobu, S., I. Katayama, M. Fujiwara, S. Hatori, N. Ikeda, H. Miyatake, H. Nakabushi and K. Katori 331

A recoil mass spectrometer for HHIRF
Cole, J.D., T.M. Cormier, J.H. Hamilton and A.V. Ramayya 343

Startup of the Fragment Mass Analyzer at ATLAS
Davids, C.N., B.B. Back, K. Bindra, D.J. Henderson, W. Kutschera, T. Lauritsen, Y. Nagame, P. Sugathan, A.V. Ramayya and W.B. Walters 358

A large solid-angle secondary-beam collector using an axially symmetric superconducting magnetic field
Ishida, K., T. Matsuzaki and K. Nagamine 366

Low energy radioactive beams by inversion kinematics
Yamaya, T., M. Saito, T. Miyamoto, T. Ishigaki, K. Kotajima, K. Gotoh, T. Shinozuka and M. Fujioka 374

INTENSITY: a computer program for the estimation of secondary beam intensities from a projectile fragment separator
Winger, J.A., B.M. Sherrill and D.J. Morrisey 380

Section VI. Acceleration of RI beams

Production, acceleration and use of radioactive ion beams at Louvain-la-Neuve
Van Duppen, P., P. Decrock, M. Huyse, Th. Delbar, W. Galster, P. Leleux, I. Licot, E. Liénard, P. Lipnik, M. Loiselet, C. Michotte, G. Ryckewaert, J. Vervier, P. Duhamel and J. Vanhorenbeeck 393

An ISOSPIN Laboratory for North America
D'Auria, J.M. 398

Exotic nuclei arena in JHP
Nomura, T. 407

Development of an SCRFQ heavy-ion linac for RI beams
Arai, S., A. Imanishi, T. Morimoto, E. Tojyo, N. Tokuda and S. Shibuya 414

Ion-optical design of the high-resolution mass separator for the Japanese Hadron Project
Sunaoshi, H., M. Fujioka, T. Shinozuka, H. Wollnik, S. Meuser, T. Nomura and S. Kubono ... 421

First steps towards radioactive beams in the experimental storage ring at GSI
Klepper, O., F. Bosch, H.W. Daues, H. Eickhoff, B. Franczak, B. Franzke, H. Geissel, O. Gustafsson, M. Jung, W. Koenig, C. Kozhuharov, A. Magel, G. Münzenberg, H. Stelzer, J. Szerypo and M. Wagner 427

Section VII. Ion optics and mass spectrometry

Energy compensation of an ISOLDE-type isotope separator
Davids, C.N. 435

An ion optical decel system for oblique angular impact of low-energy ions on targets
Hechtl, E. 441

A new ray tracing code "ELECTRA"
Ishihara, M. and T. Matsuo 445

Ion-optical correction elements for on-line mass separators
Przewloka, M., M. Antl, R. Berndt, Ch. Geisse, H. Haas, H. Ravn and H. Wollnik 451

Mass measurements of exotic nuclei at the ESR
Trötscher, J., K. Balog, H. Eickhoff, B. Franczak, B. Franzke, Y. Fujita, H. Geissel, Ch. Klein, J. Knollmann, A. Kraft, K.E.G. Löbner, A. Magel, G. Münzenberg, A. Przewloka, D. Rosenauer, H. Schäfer, M. Sendor, D.J. Vieira, B. Vogel, Th. Winkelmann and H. Wollnik 455

Antiproton–proton mass comparison with a radio-frequency mass spectrometer
De Saint Simon, M., A. Coc, M. Jacotin, J.F. Képinski, R. Le Gac, G. Le Scornet, C. Thibault, F. Touchard, H. Haebel, H. Herr, R. Klapisch, G. Lebée, G. Petrucci, G. Stefanini, H. Deitinghoff, A. Schempp and F. Botlo-Pilat 459

Method for precision measurement of the masses of short-lived nuclides with application of stable isobars
Belyaev, B.N., V.D. Domkin, Yu.G. Korobulin, V.S. Mukhin, Yu.A. Suchilin, G.D. Alkhazov and V.V. Lukashevich 464

Measurement of the H_2–D mass difference with a nuclear microprobe
Sekiguchi, H., T. Nishijima and I. Nashiyama 469

Section VIII. Ion traps and laser techniques

Ion traps – recent applications and developments
Kluge, H.-J. and G. Bollen 473

Collection, cooling and delivery of ISOL beams
Moore, R.B., M.D.N. Lunney, G. Rouleau and G. Savard 482

Ramsey technique applied in a Penning trap mass spectrometer
Bollen, G., H.-J. Kluge, T. Otto, G. Savard and H. Stolzenberg 490

On the possible determination of hyperfine anomalies by trapped ion spectroscopy
Arbes, F., O. Becker, H. Knab, K.H. Knöll and G. Werth 494

An ion trap for nuclear laser spectroscopy at Tohoku ISOL
Wada, M., H. Sunaoshi, Y. Fukashiro, S. Hayashibe, T. Shinozuka, M. Fujioka, I. Satoh, M. Yagi and S. Matsuki 500

Ion trap project at INS
Katayama, I., M. Wada, J. Tanaka, H. Kawakami and S. Ohtani 509

OPERA: an on-line system of optical pumping in solids for unstable nuclei
Shimomura, K., I. Ogawa, K. Suzuki, S. Hamada, T. Nakamura, H. Okuno, M. Koizumi, N. Inabe, Y. Fukashiro, H. Sunaoshi, M. Wada, S. Hatori, T. Murayama, T. Kohmoto, Y. Fukuda, T. Kubo, T. Shinozuka, K. Asahi, S. Morinobu, T.T. Inamura, M. Ishihara, M. Fujioka, M. Kondo and S. Matsuki 513

Fission fragment anisotropy for the ^{242m}Am fission isomer by spin exchange pumping with polarized rubidium vapour
Backe, H., W. Lauth, W. Achenbach, M. Hain, M. Hies, A. Scherrer, A. Steinhof, S. Tölg and S. Ziegler 521

Very high sensitivity in collinear laser spectroscopy: resonance detection by particle counting techniques
Lievens, P., E. Arnold, W. Borchers, F. Buchinger, U. Georg, A. Klein, W. Neu, R. Neugart, M. Neuroth, C. Schulz, R.E. Silverans, L. Vermeeren and the ISOLDE Collaboration 532

PILIS: post-ISOCELE laser isobar separation; a high efficiency apparatus for laser spectroscopy
Kilcher, P., J.C. Putaux, J.E. Crawford, H. Dautet, H.T. Duong, F. Le Blanc, J.K.P. Lee, J. Obert, J. Oms, J. Pinard, B. Roussière, J. Sauvage, G. Savard, G. Thekkadath and the ISOCELE Collaboration 537

Section IX. Techniques related with mass separators

The control system of the CERN-ISOLDE on-line mass-separator facility
Jonsson, O.C., O. Borch, A. Bret, R. Catherall, I. Deloose, G.J. Focker, D. Forkel, E. Kugler, G. Olesen, A. Pace, H.L. Ravn, C. Richard-Serre, G. Shering, O. Tengblad, H.J. Torgersen and the ISOLDE Collaboration 541

Indirect measurements of beam-energy differences for various species of ions extracted from a FEBIAD source
Hagberg, E., K.S. Sharma, G.R. Dyck, V.T. Koslowsky, P.P. Unger, J.C. Hardy, H. Schmeing and R.C. Barber 546

Measurement of β-ray maximum energy with an HPGe detector by means of β^+-annihilation photons coincidence
Osa, A., T. Ikuta, A. Taniguchi, H. Yamamoto, K. Kawade, S. Ichikawa and Y. Kawase 551

Time resolved on-line nuclear orientation (TR-OLNO)
Stone, N.J. 556

In beam nuclear polarization of on-line separated isotopes
Wouters, J., W. Vanderpoorten, P. Schuurmans and L. Vanneste 566

Superthin internal targets for storage rings of radioactive ions
Pugatch, V., G. Sivtsov, A. Glushko, G. Pitatelev, S. Popov, B. Wojtsekhovski and D. Toporkov 570

Submicron position-sensitive detector
Pugatch, V.M., A.B. Rosenfeld, P.G. Litovchenko, L.I. Barabash, O.F. Nemets, Yu.N. Pavlenko and Yu.O. Vasiliev 574

A dual ion beam epitaxy system
Su Shijun, Jiang Weisheng, Qin Fuguang and Wang Xiangming 579

Proton decay measurement with RIPS for astrophysical interest
Kubono, S., Y. Funatsu, N. Ikeda, M.H. Tanaka, T. Nomura, H. Orihara, S. Kato, M. Ohura, T. Kubo, N. Inabe, T. Ichihara, M. Ishihara, I. Tanihata, H. Okuno, T. Nakamura, S. Shimoura, H. Toyokawa, C.C. Yun, H. Ohnuma, K. Asahi, A. Chakrabarti, T. Mukhopadhyay and T. Kajino 583

Summary of EMIS-12
Wollnik, H. 588

Author index 589